



Oavsett vilka utmaningar du står inför, är Amber alltid ett pålitligt val. Papperssortimentet utgör ett brett urval av obestruket högvitt finpapper av otrolig kvalitet och med unika tryckegenskaper. Pappret är utvecklat för att möta både dagens moderna trycktekniker och de traditionella, och finns i en rad ytvikter som kan användas till många olika produktioner, som böcker, broschyrer, kataloger och direktreklam. Den höga vitheten skapar en yta som återger både text och bild på ett enastående sett. Vill du ha ett perfekt resultat och service du kan lita på – just add Amber.


Read more



Let’s load 2024!

The Munken Agenda 2024 is finally available in our shop. It means you can look forward to a new colourful year and start planning the days ahead.

Get your copy



Explore the Munken Creator

Arctic Paper launches the Munken Creator, a web-based application for creating font animations in an experimental way. Use the Munken Sans to experiment, design visually animated messages and inspire to think beyond the boundaries of communication.

Read more

Our product range

Regardless what kind of project you are working on; we have a paper that suits your needs.

Design paper



Book paper



Graphical fine paper





Your make it happen paper

Oavsett vilka utmaningar du står inför, är Amber alltid ett pålitligt val. Papperssortimentet utgör ett brett urval av obestruket högvitt finpapper av otrolig kvalitet och med unika tryckegenskaper. Pappret är utvecklat för att möta både dagens moderna trycktekniker och de traditionella, och finns i en rad ytvikter som kan användas till många olika produktioner, som böcker, broschyrer, kataloger och direktreklam. Den höga vitheten skapar en yta som återger både text och bild på ett enastående sett. Vill du ha ett perfekt resultat och service du kan lita på – just add Amber.

Amber Graphic

A true highwhite shade with smooth natural surface, recognised for good runnability and printability.

- Uncoated
- Smooth
- HighWhite

More info

Amber Terra

A true highwhite shade with smooth natural surface and high opacity, recognised for good runnability and printability.

- Uncoated
- Smooth
- HighWhite

More info

Amber Preprint

A highwhite technically advanced paper guaranteed to work on equipment with OCR.

- Uncoated
- Smooth
- HighWhite

More info

Amber Volume

A highwhite woodfree paper with a surface especially suited for all kinds of educational applications.

- Uncoated
- Rough
- HighWhite

More info

Amber Highway Super

A surface-treated paper, custom-made for high-speed inkjet. For b/w text and full color illustrations.

- Uncoated
- Smooth
- HighWhite

More info

Amber Highway Regular

A surface-treated paper, custom-made for high-speed inkjet. For b/w text and spot colour.

- Uncoated
- Smooth
- HighWhite

More info

Get to know Amber

OUR PAPER MILLS


Arctic Paper Kostrzyn

SHOP

Dummyshop

SUSTAINABILITY

A sustainable company



Amber Graphic är ett självklart val när du letar efter ett obstruket grafiskt papper med riktigt bra körbarhet och oslagbara tryckegenskaper.

Pappret finns i en rad ytvikter och passar därför bra till en mängd olika produktioner i både enfärgs- och flerfärgstryck, som böcker, uppslagsböcker, reklam, broschyrer och trycksaker för läkemedel. Du kan med andra ord lita på Amber Graphic till ett antal utmaningar, varje dag.

Technical specifications

Basic information	Surface	Shade	Printing techniques
Optimized for colour printing	Uncoated	HighWhite	Offset
Available in sheets	Smooth		Flexo
Available in reels			

Amber Graphic

Grammage (g/m²)	50 ^G	55 ^G	60	70	80	90	100	110	120	130	140	150	170	200	240	300 ^B	400 ^B
Opacity (%)	82	84	86	90	92	94	95	96	96	97	98	98	98	99	99	100	100
Thickness (µm)	62	68.2	76	89	99	110	122	133	145	156	168	180	204	240	288	360	480
Whiteness (CIE)	143	143	143	143	143	143	143	143	143	143	143	143	143	143	143	143	143
Roughness (Bendtsen, ml/min)	160	160	160	160	160	160	160	160	160	220	220	220	220	220	220	220	220

^G Not standard production. Please contact Sales Office for details.

^B Laminated paper




Screen recommended 133-150 lpi
Values are targets only and can be subject to changes over time without prior notice.
You will find the latest technical information and other technical recommendations about our products at [arcticpaper.com](#)


Technical Specification (pdf)	⬇	ICC Profile (zip)	⬇	Technical Specification US (pdf)	⬇
---	-------------------	-----------------------------------	-------------------	--	-------------------

Certificates, Environment & Quality

We are anxious to preserve our planet and leave the smallest possible footprint in nature. We strive for sustainable manufacturing processes by following a strategy that keeps us one step ahead of international environmental standards and requirements.

[Find all Certificates & Statements +](#)





Amber Terra

Upptäck ett vitt grafiskt obstruket papper perfekt för kuvert, böcker, broschyrer och anteckningsböcker, i både enfärgs- och flerfärgstryck. Det som utmärker det här pappret är dess nätta vikt och höga opacitet.

De egenskaperna gör det möjligt att använda ett lätt papper utan att tumma på tryckkvaliteten. När du väljer Amber Terra kan du förvänta dig ett utmärkt resultat, både vid offsettryck och flexografisk tryckning.

Technical specifications

Basic information	Surface	Shade	Printing techniques
Optimized for colour printing	Uncoated	HighWhite	Offset
Available in sheets	Smooth		Flexo
Available in reels			

Amber Terra

Grammage (g/m²)	60	65	70	75	80
Opacity (%)	90	90.5	92	93.5	95
Whiteness (CIE)	143	143	143	143	143
Roughness (Bendtsen, ml/min)	160	160	160	160	160
Thickness (µm)	76	83	89	95	99





Screen recommended 133-150 lpi
Values are targets only and can be subject to changes over time without prior notice.
You will find the latest technical information and other technical recommendations about our products at [arcticpaper.com](#)

Technical Specification (pdf)	↓	ICC Profile (zip)	↓	Technical Specification US (pdf)	↓
-------------------------------	---	-------------------	---	----------------------------------	---

Certificates, Environment & Quality

We are anxious to preserve our planet and leave the smallest possible footprint in nature. We strive for sustainable manufacturing processes by following a strategy that keeps us one step ahead of international environmental standards and requirements.

[Find all Certificates & Statements +](#)





Amber Preprint

När ditt uppdrag kräver ett perfekt åldersbeständigt papper för fakturor, dokument och reklam – välj Amber Preprint. Det här högvita, tekniskt avancerade obestrukna pappret fungerar utmärkt i både digitala tryckpressar och laserskrivare, till och med efter offset litotryck.

Tack vare Amber Preprints fina egenskaper kan det användas både i kopieringsmaskiner och skrivare med hög hastighet.

Technical specifications

Basic information	Surface	Shade	Printing techniques
Optimized for colour printing	Uncoated	HighWhite	Offset
Available in sheets	Smooth		Flexo
Available in reels			Laser
			Preprint
			Inkjet (black/white)

Amber Preprint

Grammage (g/m²)	60 ^E	70 ^E	75 ^E	80	90	100	120	160
Opacity (%)	≥88	≥92	≥92	≥93	≥95	≥96	≥98	≥99
Thickness (µm)	78	91	98	104	117	130	156	208
Whiteness (CIE)	167	167	167	167	167	167	167	167
Roughness (Bendtsen, ml/min)	160	160	160	160	200	200	200	230

^E Not standard production. Min. 30 tonnes and paper machine trim needed.


Screen recommended 133-150 lpi
Values are targets only and can be subject to changes over time without prior notice.
You will find the latest technical information and other technical recommendations about our products at [arcticpaper.com](#)

Technical Specification (pdf)	⬇	ICC Profile (zip)	⬇	Technical Specification US (pdf)	⬇
---	-------------------	-----------------------------------	-------------------	--	-------------------

Certificates, Environment & Quality

We are anxious to preserve our planet and leave the smallest possible footprint in nature. We strive for sustainable manufacturing processes by following a strategy that keeps us one step ahead of international environmental standards and requirements.

[Find all Certificates & Statements +](#)



Amber Volume

Letar du efter ett träfritt, högvitt, tjockt obestruket papper för alla typer av utbildningsmaterial, då ska du absolut välja Amber Volume. Pappret är idealiskt för skolböcker, akademisk litteratur, referensmaterial och faktaböcker.

Det tjocka pappret ger slutprodukten lång hållbarhet, perfekt för utbildningsböcker som är avsedda att hålla i många år. Papprets tjocklek gör det också möjligt att öka volymen på själva produktionen, utan att behöva öka pappersvikt eller mängden sidor.

Technical specifications

Basic information	Surface	Shade	Printing techniques
Optimized for colour printing	Uncoated	HighWhite	Offset
Available in sheets	Rough		Flexo
Available in reels			

Amber Volume

Grammage (g/m²)	50 ^G	55 ^G	60 ^G	70	80	90
Opacity (%)	80	82	84	89	91	93
Thickness (µm)	75	82.5	90	105	120	135
Bulk (thickness/grammage)	1.5	1.5	1.5	1.5	1.5	1.5
Whiteness (CIE)	143	143	143	143	143	143
Roughness (Bendtsen, ml/min)	550	550	550	550	550	550

^G Not standard production. Please contact Sales Office for details.

Screen recommended 133-150 lpi
Values are targets only and can be subject to changes over time without prior notice.
You will find the latest technical information and other technical recommendations about our products at [arcticpaper.com](#)

Technical Specification (pdf)

Certificates, Environment & Quality

We are anxious to preserve our planet and leave the smallest possible footprint in nature. We strive for sustainable manufacturing processes by following a strategy that keeps us one step ahead of international environmental standards and requirements.

[Find all Certificates & Statements +](#)





Amber Highway Super är ett högvitt, tekniskt avancerat, obestruket och träfritt papper avsett att användas i bläckstråleskrivare med hög hastighet för fakturareklam, boktryck och direktpost.

Amber Highway Super är framtaget för svartvit text och flerfärgsillustrationer med hög färgdensitet. Det här pappret passar till många olika användningsområden, som kontoutdrag, fakturor, böcker i färg, reklamutskick, kundklubbsutskick och reklambroschyrer.

Technical specifications

Basic information	Surface	Shade	Printing techniques
Optimized for colour printing	Uncoated	HighWhite	Inkjet (colour)
Available in sheets	Smooth		
Available in reels			

Amber Highway Super

Grammage (g/m ²)	70	80	90	100	120
Opacity (%)	≥93	≥93	≥95	≥96	≥98
Thickness (µm)	88	100	112	125	150
Bulk (thickness/grammage)	1.25	1.25	1.25	1.25	1.25
Whiteness (CIE)	165	165	165	165	165
Roughness (Bendtsen, ml/min)	160	160	160	160	160




Values are targets only and can be subject to changes over time without prior notice.
You will find the latest technical information and other technical recommendations about our products at [arcticpaper.com](#)

- [Technical Specification \(pdf\)](#)
- [Technical Specification US \(pdf\)](#)

Certificates, Environment & Quality

We are anxious to preserve our planet and leave the smallest possible footprint in nature. We strive for sustainable manufacturing processes by following a strategy that keeps us one step ahead of international environmental standards and requirements.

[Find all Certificates & Statements +](#)



Amber Highway regular

Amber Highway Regular är ett tekniskt avancerat, obestruket, träfritt papper med hög vithet, som är specialutvecklat för snabba bläckstråleskrivare för fakturareklam och boktryck.

Amber Highway Regular är framtaget för svartvit text och dekorfärg med medelhög färgdensitet. Pappret är åldringsbeständigt och tillsammans med de övriga egenskaperna gör att det rekommenderas till kontoutdrag, fakturor, handböcker och böcker i svartvitt.

Technical specifications

Basic information

- Optimized for text
- Available in sheets
- Available in reels

Surface

- Uncoated
- Smooth

Shade

- HighWhite

Printing techniques

- Inkjet (black/white)

Amber Highway Regular

Grammage (g/m ²)	70	80	90	100	120
Opacity (%)	≥93	≥93	≥95	≥96	≥98
Thickness (µm)	88	100	112	125	150
Bulk (thickness/grammage)	1.25	1.25	1.25	1.25	1.25
Whiteness (CIE)	165	165	165	165	165
Roughness (Bendtsen, ml/min)	160	160	160	160	160

Values are targets only and can be subject to changes over time without prior notice.
You will find the latest technical information and other technical recommendations about our products at [arcticpaper.com](#)

Technical Specification (pdf)



Technical Specification US (pdf)



Certificates, Environment & Quality

We are anxious to preserve our planet and leave the smallest possible footprint in nature. We strive for sustainable manufacturing processes by following a strategy that keeps us one step ahead of international environmental standards and requirements.

[Find all Certificates & Statements +](#)

